

デンスパー®標準品サイズ及び重量表

ダクタイトル鋳鉄

(単位：kg)

D-4 丸

φ	L	300mm	1,000mm	2,100mm	φ	L	300mm	1,000mm	3,000mm
40	mm	2.7	9.1	19.1	145	mm	35.7	118.9	356.7
φ	L	300mm	1,000mm	3,000mm	150		38.2	127.2	381.6
50	mm	4.2	14.1	42.3	155		40.8	135.9	407.7
60		6.1	20.4	61.2	165		46.2	154.0	462.0
70		8.3	27.7	83.1	175		52.0	173.2	519.6
80		10.9	36.2	108.6	185		58.1	193.5	580.5
85		12.3	40.9	122.7	200		67.9	226.2	678.6
90		13.7	45.8	137.4	220		82.1	273.7	821.1
100		17.0	56.5	169.5	250		106.0	353.4	1,060.2
110		20.5	68.4	205.2	300		152.6	508.7	1,526.1
125		26.5	88.4	265.2	350		207.7	692.4	2,077.2
135		30.9	103.1	309.3	500		423.9	1,413.0	4,239.0

D-5 丸 ※D-6材製作可能

φ	L	300mm	1,000mm	2,100mm	φ	L	300mm	1,000mm	3,000mm
40	mm	2.7	9.1	19.1	90	mm	13.7	45.8	137.4
45		3.4	11.4	23.9	100		17.0	56.5	169.5
φ	L	300mm	1,000mm	3,000mm	110		20.5	68.4	205.2
50	mm	4.2	14.1	42.3	125		26.5	88.4	265.2
60		6.1	20.4	61.2	145		35.7	118.9	356.7
70		8.3	27.7	83.1	165		46.2	154.0	462.0
80		10.9	36.2	108.6	200		67.9	226.2	678.6

D-4 角

□	L	300mm	1,000mm	3,000mm	□	L	300mm	1,000mm	3,000mm
55	mm	6.5	21.7	65.3	95	mm	19.5	64.8	194.5
65		9.1	30.4	91.2	105		23.8	79.2	237.7
75		12.1	40.4	121.3	125		33.7	112.3	337.0
85		15.6	51.9	155.6	150		48.5	161.8	485.4

D-4 平角

□	L	300mm	1,000mm	3,000mm	□	L	300mm	1,000mm	3,000mm
50 × 75mm		8.1	27.0	81.0	100 × 150mm		32.4	108.0	324.0
100		10.8	36.0	108.0	110 × 245		58.2	194.0	582.0
150		16.2	54.0	162.0	156 × 207		69.8	232.5	697.5
65 × 100		14.0	46.8	140.4	204 × 394		173.6	578.7	1,736.1
75 × 100		16.2	54.0	162.0	275 × 435		258.4	861.3	2,583.9
150		24.3	81.0	243.0	355 × 405		310.6	1,035.2	3,105.6

D-5 平角

□	L	300mm	1,000mm	3,000mm	□	L	300mm	1,000mm	3,000mm
43 × 50mm		4.7	15.5	46.5	60 × 75mm		9.7	32.4	97.2
50 × 65		7.0	23.4	70.2	100 × 150		32.4	108.0	324.0

※丸材60φ以下はピーリングマシンにより表面の高精度品や、小ロットの中間サイズに応じられます。

※生産、堅鋸盤などにより掲載以外のサイズに応じることが可能です。

※記載サイズは予告なく変更する場合がございます。

デンスバー®標準品サイズ及び重量表

普通鋳鉄

(単位：kg)

E-C 丸

φ	L	300mm	1,000mm	2,100mm	φ	L	300mm	1,000mm	3,000mm
17	mm	0.5	1.6	3.4	105	mm	18.7	62.3	186.9
20		0.7	2.3	4.8	110		20.5	68.4	205.2
22.5		0.9	2.9	6.1	115		22.4	74.8	224.4
25		1.1	3.6	7.6	120		24.4	81.4	244.2
28		1.3	4.4	9.2	125		26.5	88.4	265.2
30		1.5	5.1	10.7	130		28.7	95.6	286.8
32		1.7	5.8	12.2	135		30.9	103.1	309.3
35		2.1	6.9	14.5	140		33.2	110.8	332.4
38		2.5	8.2	17.2	145		35.7	118.9	356.7
40		2.7	9.1	19.1	150		38.2	127.2	381.6
42.5		3.1	10.2	21.4	155		40.8	135.9	407.7
45		3.4	11.4	23.9	160		43.4	144.8	434.4
φ	L	300mm	1,000mm	3,000mm	165		46.2	154.0	462.0
50	mm	4.2	14.1	42.3	170		49.0	163.4	490.2
55		5.1	17.1	51.3	175		52.0	173.2	519.6
60		6.1	20.4	61.2	180		55.0	183.2	549.6
65		7.2	23.9	71.7	185		58.1	193.5	580.5
70		8.3	27.7	83.1	190		61.2	204.1	612.3
75		9.5	31.8	95.4	200		67.9	226.2	678.6
80		10.9	36.2	108.6	205		71.3	237.6	712.8
85		12.3	40.9	122.7	210		74.8	249.4	748.2
90		13.7	45.8	137.4	220		82.1	273.7	821.1
95		15.3	51.0	153.0	230		90.0	299.9	899.7
100		17.0	56.5	169.5	240		97.7	325.7	977.1

E-2 丸

φ	L	300mm	1,000mm	3,000mm	φ	L	300mm	1,000mm	3,000mm
250	mm	106.0	353.4	1,060.2	365	mm	225.9	753.0	2,259.0
260		114.6	382.1	1,146.3	380		244.8	816.1	2,448.3
270		123.6	412.0	1,236.0	400		271.3	904.3	2,712.9
285		137.7	459.1	1,377.3	410		285.0	950.1	2,850.3
300		152.6	508.7	1,526.1	435		320.9	1,069.5	3,208.5
310		163.0	543.2	1,629.6	450		343.4	1,144.5	3,433.5
325		179.1	597.0	1,791.0	475		382.6	1,275.2	3,825.6
350		207.7	692.4	2,077.2	500		423.9	1,413.0	4,239.0

E-C 角

□	L	300mm	1,000mm	3,000mm	□	L	300mm	1,000mm	3,000mm
40	mm	3.5	11.5	34.5	90	mm	17.5	58.2	174.6
45		4.4	14.5	43.7	95		19.5	64.8	194.5
50		5.4	18.0	54.0	100		21.6	71.9	215.7
55		6.5	21.7	65.3	105		23.8	79.2	237.7
60		7.8	25.9	77.7	110		26.1	87.1	261.0
65		9.1	30.4	91.2	115		28.5	95.1	285.2
70		10.6	35.2	105.8	120		31.1	103.5	310.7
75		12.1	40.4	121.3	125		33.7	112.3	337.0
80		13.8	45.9	137.9	130		36.4	121.4	364.4
85		15.6	51.9	155.6	140		42.3	140.9	422.7

デンスバー®標準品サイズ及び重量表

普通鋳鉄

(単位：kg)

E-C 角

□	L	300mm	1,000mm	3,000mm	□	L	300mm	1,000mm	3,000mm
150	mm	48.5	161.8	485.4	190	mm	78.0	259.9	779.7
160		55.2	184.1	552.3	200		86.2	287.4	862.2
170		62.4	207.8	623.6	215		99.8	332.8	998.4
180		69.8	232.6	698.0	230		114.3	380.9	1,142.7

E-2 角

□	L	300mm	1,000mm	3,000mm	□	L	300mm	1,000mm	3,000mm
250	mm	135.0	450.0	1,350.0	375	mm	303.8	1,012.5	3,037.5
275		163.4	544.5	1,633.5	400		345.6	1,152.0	3,456.0
300		194.4	648.0	1,944.0	450		437.4	1,458.0	4,374.0
325		228.2	760.5	2,281.5	500		540.0	1,800.0	5,400.0
350		264.6	882.0	2,646.0					

E-C 平角

□	L	300mm	1,000mm	3,000mm	□	L	300mm	1,000mm	3,000mm
20 × 45	mm	2.0	6.5	19.5	50 × 100	mm	10.8	36.0	108.0
55		2.4	7.9	23.7	150		16.2	54.0	162.0
85		3.7	12.2	36.6	55 × 105		12.5	41.6	124.8
105		4.5	15.1	45.3	125		14.9	49.5	148.5
22 × 70		3.3	11.1	33.3	186		22.1	73.7	221.1
25 × 50		2.7	9.0	27.0	60 × 75		9.7	32.4	97.2
60		3.2	10.8	32.4	100		13.0	43.2	129.6
75		4.1	13.5	40.5	65 × 75		10.5	35.1	105.3
100		5.4	18.0	54.0	100		14.0	46.8	140.4
125		6.8	22.5	67.5	125		17.6	58.5	175.5
29 × 53		3.3	11.1	33.3	70 × 130		19.7	65.5	196.5
30 × 60		3.9	13.0	39.0	75 × 90		14.6	48.6	145.8
80		5.2	17.3	51.9	100		16.2	54.0	162.0
145		9.4	31.3	93.9	125		20.3	67.5	202.5
35 × 75		5.7	18.9	56.7	150		24.3	81.0	243.0
90		6.8	22.7	68.1	80 × 170		29.4	97.9	293.7
100		7.6	25.2	75.6	90 × 125		24.3	81.0	243.0
125		9.5	31.5	94.5	150		29.2	97.2	291.6
150		11.3	37.8	113.4	100 × 125		27.0	90.0	270.0
38 × 75		6.2	20.5	61.5	150		32.4	108.0	324.0
40 × 85		7.4	24.5	73.5	200		43.2	144.0	432.0
43 × 50		4.7	15.5	46.5	110 × 170		40.4	134.6	403.8
45 × 85		8.3	27.5	82.5	125 × 190		51.3	171.0	513.0
110		10.7	35.6	106.8	130 × 215		60.4	201.2	603.6
130		12.6	42.1	126.3	140 × 175		52.9	176.4	529.2
50 × 65		7.0	23.4	70.2	215 × 245		113.8	379.3	1,137.9
75		8.1	27.0	81.0					

E-2 平角

□	L	300mm	1,000mm	3,000mm
100 × 250	mm	54.0	180.0	540.0

デンスバー®(準)標準品サイズ及び重量表

普通鑄鉄

(単位：kg)

E-C 平角

□	L	300mm	1,000mm	3,000mm	□	L	300mm	1,000mm	3,000mm
35 × 40mm		3.0	10.1	30.3	74 × 85mm		13.6	45.3	135.9
60 × 73		9.5	31.5	94.5	77 × 95		15.8	52.7	158.1
62 × 115		15.4	51.3	153.9	75 × 120		19.4	64.8	194.4
64 × 86		11.9	39.6	118.8	80 × 150		25.9	86.4	259.2
72 × 76		11.8	39.4	118.2	115 × 180		44.7	149.0	447.0

E-2 平角

□	L	300mm	1,000mm	3,000mm	□	L	300mm	1,000mm	3,000mm
150 × 510mm		165.2	550.8	1,652.4	150 × 910mm		294.8	982.8	2,948.4
150 × 710		230.0	766.8	2,300.4					

ダクタイル鑄鉄

(単位：kg)

D-4 丸

φ	L	300mm	1,000mm	2,100mm	φ	L	300mm	1,000mm	2,100mm
20 mm		0.7	2.3	4.8	35 mm		2.1	6.9	14.5
30		1.5	5.1	10.7					

D-4 角

□	L	300mm	1,000mm	3,000mm	□	L	300mm	1,000mm	3,000mm
215 mm		99.8	332.8	998.4	510 mm		561.8	1,872.7	5,618.1
325		228.2	760.5	2,281.5					

D-4 平角

□	L	300mm	1,000mm	3,000mm	□	L	300mm	1,000mm	3,000mm
111 × 136mm		32.6	108.7	326.1	200 × 300mm		129.6	432.0	1,296.0
150 × 250		81.0	270.0	810.0	250 × 350		189.0	630.0	1,890.0

※(準)標準品は常備在庫品ではございません。お問合せ下さい。