

STKM13A(機械構造用炭素鋼鋼管), S45Cパイプ

外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C
21.7 × 4.0		○(S)	31.8 × 5.5	○		40.0 × 6.0	○	○
5.0		○(S)	6.0	○	○	7.0	○	○
6.0		○(S)	6.5	○		8.0	○	○
7.0		○(S)	7.0	○	○	9.0	○	○
25.4 × 2.6	○		8.0	○	○	10.0	○	○
3.2	○		9.0	○		12.0	○	○
3.5	○		10.0	○		42.7 × 2.6	○	
4.0	○	○	12.0	○		3.2	○	
4.5	○		34.0 × 2.6	○		3.5	○	○
5.0	○	○	3.2	○	○	4.0	○	○
5.5	○		3.5	○	○	4.5	○	
6.0	○	○	4.0	○	○	5.0	○	○
7.0		○	4.5	○	○	5.5	○	
27.2 × 2.6	○		5.0	○	○	6.0	○	○
3.2	○		5.5	○	○	6.4	○	
3.5	○		6.0	○	○	7.0	○	○
4.0	○	○	6.4	○	○	8.0	○	○
4.5	○	○	7.0	○	○	9.0	○	
5.0	○	○	8.0	○	○	10.0	○	○
5.5	○		9.0	○	○	11.0	○	○
6.0	○	○	10.0	○		12.0	○	○
7.0	○	○	11.0	○		15.0	○	
8.0	○	○	12.0	○		45.0 × 3.5	○	
10.0	○		38.1 × 2.6	○		4.0	○	○
30.0 × 3.0	○		3.2	○		4.5	○	
3.5	○		3.5	○		5.0	○	○
4.0	○	○	4.0	○	○	6.0	○	○
4.5	○		4.5	○	○	7.0	○	○
5.0	○	○	5.0	○	○	8.0	○	○
5.5	○		5.5	○		9.0	○	○
6.0	○	○	6.0	○	○	10.0	○	○
6.5	○		6.5	○	○	12.0	○	○
7.0	○	○	7.0	○	○	15.0		○
8.0	○	○	8.0	○	○	48.6 × 2.6	○	
9.0	○		9.0	○	○	3.2	○	
10.0	○		10.0	○	○	3.5	○	
12.0	○		11.0	○	○	4.0	○	○
31.8 × 2.6	○		12.0	○		4.5	○	
3.2	○		40.0 × 2.6	○		5.0	○	○
3.5	○		3.2	○		5.5	○	○
4.0	○	○	3.5	○		6.0	○	○
4.5	○		4.0	○		7.0		○
5.0	○	○	5.0	○	○	7.1	○	

定尺は6Mです。切断販売もしております。

STKM13A(機械構造用炭素鋼鋼管), S45Cパイプ

外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C
48.6 × 8.0	○	○	55.0 × 5.0	○		60.5 × 18.0	○	○
9.0	○		6.0	○		20.0	○	
10.0	○	○	7.0	○		63.5 × 3.2	○	
11.0	○		8.0	○		4.0	○	
12.0	○	○	9.0	○		4.5	○	
15.0	○	○	10.0	○		5.0	○	○
50.8 × 2.6	○		12.0	○		5.5	○	
3.2	○		13.0	○		6.0	○	○
3.5	○		14.0	○		7.0	○	○
4.0	○		15.0	○		8.0	○	○
4.5	○		57.0 × 3.5	○		9.0	○	
5.0	○	○	4.0	○		10.0	○	○
6.0	○	○	4.5	○		11.0	○	
6.5	○	○	5.0	○	○	12.0	○	○
7.0	○	○	6.0	○	○	13.0	○	
8.0	○	○	7.0	○	○	15.0	○	○
9.0	○		8.0	○	○	18.0	○	○
10.0	○	○	9.0	○		20.0	○	
11.0	○		10.0	○	○	65.0 × 4.0	○	
12.0	○	○	11.0	○		4.5	○	
13.0	○		12.0	○	○	5.0	○	
14.0	○	○	13.0	○		6.0	○	
15.0	○	○	14.0	○		7.0	○	
18.0	○		15.0	○	○	8.0	○	○
54.0 × 3.2	○		18.0	○	○	9.0	○	
3.5	○		60.5 × 3.2	○		10.0	○	○
4.0	○	○	3.5	○		11.0	○	
4.5	○		4.0	○	○	12.0	○	○
5.0	○	○	4.5	○		13.0	○	
5.5	○		5.0	○	○	14.0	○	
6.0	○	○	5.5	○		15.0	○	○
7.0	○	○	6.0	○	○	16.0	○	
8.0	○	○	6.5	○		18.0	○	○
9.0	○		7.0	○	○	20.0	○	
10.0	○	○	8.0	○	○	68.1 × 8.0		○
11.0	○		8.7	○		10.0		○
12.0	○	○	9.0	○		12.0		○
13.0	○		10.0	○	○	15.0		○
14.0	○	○	11.0	○		70.0 × 3.5	○	
15.0	○	○	12.0	○	○	4.0	○	
18.0	○	○	13.0	○		4.5	○	
55.0 × 4.0	○		14.0	○		5.0	○	○
4.5	○		15.0	○	○	6.0	○	○

定尺は6Mです。切断販売もしております。

STKM13A(機械構造用炭素鋼鋼管), S45Cパイプ

外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C
70.0 × 7.0	○	○	76.3 × 13.0	○		85.0 × 4.0	○	
8.0	○	○	14.0	○		4.5	○	
9.0	○		15.0	○	○	5.0	○	
10.0	○	○	16.0	○		6.0	○	
11.0	○		18.0	○	○	7.0	○	
12.0	○	○	20.0		○	8.0	○	○
13.0	○		25.0	○	○	9.0	○	
14.0	○		80.0 × 4.0	○		10.0	○	○
15.0	○	○	4.5	○		11.0	○	
18.0	○	○	5.0	○		12.0	○	○
20.0	○	○	7.0	○		13.0	○	
73.0 × 3.5	○		7.0	○		14.0	○	
4.0	○		8.0	○	○	15.0	○	○
4.5	○		9.0	○		18.0	○	○
5.0	○		10.0	○	○	20.0	○	○
6.0	○	○	11.0	○		25.0	○	○
7.0	○	○	12.0	○	○	30.0	○	○
8.0	○	○	13.0	○		89.1 × 4.5	○	
9.0	○		14.0	○		5.0	○	
10.0	○	○	15.0	○	○	5.5	○	
12.0	○	○	18.0	○	○	6.0	○	
13.0	○	○	20.0	○	○	7.0	○	
14.0	○		25.0	○	○	8.0	○	○
15.0	○	○	82.6 × 3.5	○		9.0	○	
16.0		○	4.0	○		10.0	○	○
17.0		○	4.5	○		11.0		○
18.0	○	○	5.0	○		11.1	○	
20.0	○	○	6.0	○	○	12.0	○	○
25.0		○	7.0	○	○	13.0	○	
76.3 × 4.0	○		8.0	○	○	14.0	○	
4.2	○		9.0	○		15.0	○	○
4.5	○	○	10.0	○	○	16.0	○	
5.0	○	○	11.0	○		18.0	○	○
5.5	○		12.0	○	○	20.0	○	○
6.0	○	○	13.0	○		22.0		○
6.5	○		14.0	○		25.0	○	○
7.0	○	○	15.0	○	○	30.0	○	○
8.0	○	○	18.0	○	○	95.0 × 4.5	○	
9.0	○		20.0	○	○	5.0	○	
9.5	○		22.0	○	○	6.0	○	
10.0	○	○	23.0	○		7.0	○	
11.0	○		24.0	○		8.0	○	○
12.0	○	○	25.0	○	○	9.0	○	

定尺は6Mです。切断販売もしております。

STKM13A(機械構造用炭素鋼鋼管), S45Cパイプ

外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C
95.0 × 10.0	○	○	105.0 × 5.0	○		114.3 × 15.0	○	○
12.0	○	○	6.0	○		16.0	○	○
13.0	○		8.0	○	○	18.0	○	○
14.0	○		9.0	○		20.0	○	○
15.0	○	○	10.0	○	○	22.0	○	○
18.0	○	○	12.0	○	○	25.0	○	○
20.0	○	○	13.0	○		30.0	○	○
22.5		○	14.0	○		35.0	○	○
25.0	○	○	15.0	○	○	118.0 × 8.0	○	
96.0 × 4.5	○		18.0	○	○	120.0 × 5.0	○	
5.0	○		20.0	○	○	6.0	○	
6.0	○		22.0	○		7.0	○	
8.0	○	○	25.0	○	○	8.0	○	○
10.0	○	○	30.0	○	○	9.0	○	
12.0	○	○	35.0	○	○	10.0	○	○
15.0	○	○	110.0 × 5.0	○		11.0	○	
18.0	○	○	6.0	○		12.0	○	○
20.0	○	○	7.0	○		13.0	○	
25.0	○	○	8.0	○		14.0	○	
30.0	○	○	9.0	○		15.0	○	○
101.6 × 4.2	○		10.0	○	○	18.0	○	○
4.5	○		12.0	○	○	20.0	○	○
5.0	○		13.0	○		25.0	○	○
6.0	○		14.0	○		30.0	○	○
7.0	○		15.0	○	○	35.0	○	○
8.0	○	○	18.0	○	○	125.0 × 6.0	○	
9.0	○		20.0	○	○	8.0	○	
10.0	○	○	25.0	○	○	10.0	○	
11.0	○		27.0	○		12.0	○	
12.0	○	○	30.0	○	○	127.0 × 4.5	○	
12.7	○		35.0	○	○	5.0	○	
13.0	○		114.3 × 4.5	○		6.0	○	
14.0	○	○	5.0	○		7.0	○	
15.0	○	○	6.0	○		8.0	○	○
16.0	○		7.0	○	○	9.0	○	
18.0	○	○	8.0	○	○	10.0	○	○
19.0	○		9.0	○		11.0	○	
20.0	○	○	10.0	○	○	12.0	○	○
23.0	○	○	11.1	○		13.0	○	
25.0	○	○	12.0	○	○	14.0	○	
28.0	○		13.0	○		15.0	○	○
30.0	○	○	13.5	○	○	18.0	○	○
35.0	○	○	14.0	○		20.0	○	○

定尺は6Mです。切断販売もしております。

STKM13A(機械構造用炭素鋼鋼管), S45Cパイプ

外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C
127.0 × 23.0	○		139.8 × 12.0	○	○	152.4 × 12.0	○	○
25.0	○	○	12.7	○		13.0	○	○
30.0	○	○	13.0	○		15.0	○	○
35.0	○	○	14.0	○		16.0	○	
130.0 × 5.0	○		15.0	○	○	18.0	○	○
6.0	○	○	15.9	○		20.0	○	○
7.0	○		16.0	○		22.0	○	
8.0	○	○	18.0	○	○	23.0	○	
9.0	○		20.0	○	○	25.0	○	○
10.0	○	○	25.0	○	○	30.0	○	○
11.0	○		30.0	○	○	35.0	○	○
12.0	○	○	35.0	○	○	40.0	○	○
13.0	○		40.0	○	○	45.0	○	○
14.0	○		146.0 × 6.0	○		159.0 × 6.0	○	
15.0	○	○	8.0	○		8.0	○	
18.0	○	○	9.0	○		10.0	○	○
20.0	○	○	10.0	○	○	12.0	○	○
25.0	○	○	11.0	○		15.0	○	○
30.0	○	○	12.0	○	○	16.5		○
35.0	○	○	13.0	○		18.0	○	○
40.0	○	○	14.0	○		20.0	○	○
135.0 × 6.0	○		15.0	○	○	25.0	○	○
7.0	○		18.0		○	28.0	○	
8.0	○	○	20.0	○	○	30.0	○	○
9.0	○		22.0	○		35.0	○	○
10.0	○	○	25.0	○	○	40.0	○	○
11.0	○		30.0	○	○	45.0	○	○
12.0	○	○	35.0	○	○	165.2 × 6.0	○	
14.0	○		40.0	○	○	7.0	○	
15.0	○	○	150.0 × 10.0	○		8.0	○	
18.0	○	○	12.0	○		10.0	○	○
20.0	○	○	15.0	○		11.0	○	
23.0	○		20.0	○		12.0	○	○
25.0	○	○	25.0	○		15.0	○	○
30.0	○	○	30.0	○		18.0	○	○
35.0	○	○	35.0	○		20.0	○	○
139.8 × 5.0	○		152.4 × 5.0	○		22.0	○	
6.0	○		6.0	○		25.0	○	○
7.0	○		7.0	○		30.0	○	○
8.0	○	○	8.0	○	○	35.0	○	○
9.0	○		9.0	○		40.0	○	○
10.0	○	○	10.0	○	○	45.0	○	○
11.0	○		11.0	○		168.3 × 6.0	○	

定尺は6Mです。切断販売もしております。

STKM13A(機械構造用炭素鋼鋼管), S45Cパイプ

外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C
168.3 × 8.0	○		185.0 × 20.0	○	○	205.0 × 12.0	○	
10.0	○	○	25.0	○	○	15.0	○	○
12.0	○		30.0	○	○	18.0	○	
15.0	○	○	35.0	○	○	20.0	○	○
18.0	○	○	40.0	○	○	25.0	○	○
20.0	○	○	190.7 × 6.0	○		30.0	○	○
23.0		○	7.0	○		35.0	○	○
25.0	○	○	8.0	○		40.0	○	○
30.0	○	○	10.0	○		45.0	○	
35.0	○	○	11.0	○		210.0 × 8.0	○	
40.0	○	○	12.0	○	○	10.0	○	
45.0	○	○	15.0	○	○	12.0	○	
50.0	○		18.0	○	○	15.0	○	
177.8 × 6.0	○		20.0	○	○	18.0	○	
8.0	○		25.0	○	○	20.0	○	
10.0	○	○	30.0	○	○	25.0	○	○
12.0	○	○	35.0	○	○	30.0	○	○
15.0	○	○	40.0	○	○	35.0	○	○
16.0		○	45.0	○	○	40.0	○	○
18.0	○	○	193.7 × 8.0	○		45.0		○
20.0	○	○	10.0	○		216.3 × 8.0	○	
25.0	○	○	12.0	○		10.0	○	
30.0	○	○	15.0	○	○	12.0	○	
35.0	○	○	18.0	○		15.0	○	○
40.0	○	○	20.0	○	○	18.0	○	○
45.0	○	○	25.0	○	○	20.0	○	○
50.0	○	○	30.0	○	○	23.0	○	
180.0 × 6.0	○		35.0	○	○	25.0	○	○
8.0	○		40.0	○	○	30.0	○	○
10.0	○		45.0	○		35.0	○	○
12.0	○		200.0 × 8.0	○		40.0	○	○
15.0	○	○	10.0	○		45.0	○	○
18.0	○		12.0	○		50.0	○	○
20.0	○	○	15.0	○	○	219.1 × 8.0	○	
25.0	○	○	18.0	○		10.0	○	
30.0	○	○	20.0	○	○	12.0	○	
35.0	○		25.0	○	○	13.0	○	
40.0	○		30.0	○	○	15.0	○	○
185.0 × 8.0	○		35.0	○	○	18.0	○	
10.0	○		40.0	○	○	20.0	○	○
12.0	○	○	45.0		○	25.0	○	○
15.0	○	○	205.0 × 8.0	○		30.0	○	○
18.0	○	○	10.0	○		35.0	○	○

定尺は6Mです。切断販売もしております。

STKM13A(機械構造用炭素鋼鋼管), S45Cパイプ

外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C
219.1 × 40.0	○	○	244.5 × 50.0	○	○	267.4 × 50.0	○	
45.0	○	○	250.0 × 10.0	○		55.0	○	
50.0		○	12.0	○		273.1 × 8.0	○	
232.0 × 8.0	○		15.0	○		10.0	○	
9.0	○		18.0	○		12.0	○	
10.0	○		20.0	○	○	15.0	○	
12.0	○		25.0	○	○	18.0	○	
15.0	○	○	30.0	○	○	20.0	○	○
18.0	○	○	35.0	○	○	25.0	○	○
20.0	○	○	40.0	○	○	30.0	○	○
25.0	○	○	45.0	○	○	35.0	○	○
30.0	○	○	50.0		○	40.0	○	
35.0	○	○	254.0 × 8.0	○		45.0	○	○
40.0	○	○	10.0	○		50.0	○	
45.0	○	○	12.0	○		280.0 × 8.0	○	○
50.0	○	○	15.0	○	○	10.0	○	○
241.8 × 6.0	○		18.0	○		12.0	○	○
8.0	○		20.0	○	○	15.0	○	○
9.0	○		25.0	○	○	18.0	○	○
10.0	○		30.0	○	○	20.0	○	
12.0	○		35.0	○	○	25.0		
15.0	○	○	40.0	○	○	30.0	○	
18.0	○		45.0	○	○	35.0		
20.0	○	○	50.0	○	○	40.0	○	
25.0	○	○	260.0 × 15.0	○		45.0	○	○
30.0	○	○	20.0	○		50.0	○	
35.0	○	○	25.0	○		285.0 × 15.0	○	
40.0	○	○	30.0	○		20.0		○
45.0	○	○	35.0	○		25.0	○	○
50.0	○	○	45.0	○	○	30.0	○	○
55.0	○	○	267.4 × 8.0	○		35.0	○	○
60.0		○	10.0	○		40.0	○	○
244.5 × 8.0	○		12.0	○		45.0	○	○
10.0	○		12.7	○		50.0	○	
12.0	○		15.0	○	○	298.5 × 8.0	○	
15.0	○	○	18.0	○	○	10.0	○	
18.0	○		20.0	○	○	12.0	○	
20.0	○	○	25.0	○	○	15.0	○	○
25.0	○	○	28.6	○	○	18.0	○	
30.0	○	○	30.0	○	○	20.0	○	○
35.0	○	○	35.0	○		25.0	○	○
40.0	○	○	40.0	○		30.0	○	○
45.0	○	○	45.0	○		35.0	○	○

定尺は6Mです。切断販売もしております。

STKM13A(機械構造用炭素鋼鋼管), S45Cパイプ

外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C	外径 × 肉厚	13A	S45C
298.5 × 40.0	○	○	323.9 × 55.0	○		381.0 × 10.0	○	
45.0	○	○	60.0	○	○	12.0	○	
50.0	○	○	339.7 × 8.0	○		15.0	○	
55.0	○	○	10.0	○		18.0	○	
60.0		○	12.0	○		20.0	○	○
305.0 × 10.0	○		15.0	○	○	25.0	○	○
12.0	○		18.0	○		30.0	○	○
15.0	○	○	20.0	○	○	35.0	○	○
18.0	○		25.0	○	○	40.0	○	○
20.0	○	○	30.0	○	○	45.0	○	○
25.0	○	○	35.0	○	○	50.0	○	○
30.0	○	○	40.0	○	○	406.4 × 12.7	○	
35.0	○	○	45.0	○	○	15.0	○	
40.0	○	○	50.0	○	○	20.0	○	○
45.0	○	○	55.0	○	○	25.0	○	○
50.0	○	○	60.0	○	○	30.0	○	○
318.5 × 8.0	○		355.6 × 8.0	○		35.0	○	○
10.0	○		10.0	○		40.0	○	○
12.0	○		12.0	○	○	45.0	○	○
15.0	○	○	15.0	○		50.0	○	○
18.0	○	○	18.0	○		55.0	○	○
20.0	○	○	20.0	○	○	426.0 × 12.0	○	
21.4	○		25.0	○	○	15.0	○	
25.0	○	○	30.0	○	○	18.0	○	
28.6	○		35.0	○	○	20.0	○	○
30.0	○	○	40.0	○	○	25.0	○	○
35.0	○	○	45.0	○	○	30.0	○	○
40.0	○	○	50.0	○	○	35.0	○	○
45.0	○	○	55.0	○	○	40.0	○	○
50.0	○	○	60.0	○	○	45.0	○	○
55.0	○	○	65.0	○	○	50.0	○	○
60.0	○		365.1 × 10.0	○				
323.9 × 10.0	○		12.0	○				
12.0	○		15.0	○				
15.0	○		20.0	○	○			
18.0	○	○	25.0	○	○			
20.0	○	○	30.0	○	○			
25.0	○	○	35.0	○	○			
30.0	○	○	40.0	○	○			
35.0	○	○	45.0	○	○			
40.0	○	○	50.0	○	○			
45.0	○	○	65.0	○				
50.0	○	○	368.0 × 40.0		○			

定尺は6Mです。切断販売もしております。